

**DAB Jet pump stainless steel
304 1" female thread 8bar 6,2A
230VAC green self priming
type JETINOX 112 M (7042558)**



TECHNICAL SPECIFICATIONS

| | |
|---|---------------------|
| Colour | green |
| Material | stainless steel 304 |
| Pump body | stainless steel 304 |
| Material impeller 1 | technopolymer A |
| Model | self priming |
| Connection | female thread |
| Max. temperature | 35 °C |
| Minimum medium temperature (continuous) | 0 °C |
| Press | 1 " |
| Maximum ambient temperature | 40 °C |
| Suction | 1 " |
| Type | JETINOX 112 M |
| Max. head | 61 m |
| Size | 1" |
| Voltage | 230VAC |
| Power | 1 kW |

| | |
|--------|-------|
| Ampere | 6,2 A |
|--------|-------|

| | |
|---------------|-----------------------|
| Max flow rate | 3.6 m ³ /h |
|---------------|-----------------------|

DIMENSIONS

| | |
|------|--------|
| Cb-1 | 270 mm |
|------|--------|

| | |
|------|--------|
| Cb-1 | 144 mm |
|------|--------|

| | |
|------|--------|
| Cl-1 | 122 mm |
|------|--------|

| | |
|------|--------|
| Cr-1 | 167 mm |
|------|--------|

| | |
|------|--------|
| Ct-1 | 239 mm |
|------|--------|

| | |
|-----|--------|
| G-1 | 111 mm |
|-----|--------|

| | |
|---|--------|
| H | 197 mm |
|---|--------|

| | |
|---|--------|
| L | 305 mm |
|---|--------|

| | |
|---|--------|
| L | 440 mm |
|---|--------|

| | |
|----|--------|
| LM | 409 mm |
|----|--------|

| | |
|----|--------|
| Mr | 207 mm |
|----|--------|

| | |
|----|--------|
| MW | 165 mm |
|----|--------|

| | |
|---|------|
| O | 9 mm |
|---|------|

| | |
|---|--------|
| W | 174 mm |
|---|--------|



| | |
|-----|--------|
| W-1 | 174 mm |
|-----|--------|

ØDi-1

1 "

ØDi-2

1 "



PRODUCT INFORMATION

Suction up to 8 metres deep.

Last modified date: 26/05/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>