

**DAB Submersible pump
technopolymer 1" female
thread 4,8A 230VAC black type
Eurocover (7033860)**



TECHNICAL SPECIFICATIONS

Colour	black
Type	Eurocover
Material	technopolymer
Output Power	0,3 HP
Pump body	technopolymer
Material impeller 1	technopolymer
Connection	female thread
Float	included
Voltage	230VAC
Max. temperature	35 °C
Minimum medium temperature (continuous)	0 °C
Power	0.22 kW
MWC	6,5
Ampere	4,8 A
Max flow rate	6 m ³ /h
Press	1 "

Size 1"

BEP Capacity 4.25

BEP Head 19

PORlh 22.8

PORhh 13.3

PORlq 2.975



PORhq 5.1

DIMENSIONS

A 280.2 mm

B 304.4 mm

H 198.1 mm



PRODUCT INFORMATION

Fully automatic electric submersible pump with wide support base for greater stability. This also gives the option of running the pump in positions that are not be perpendicular to the ground. Suitable for use above tarpaulins and (pool) covers to pump out rainwater, thus preventing the cover from breaking due to the weight of the collected water. If necessary, the Eurocover can serve as an emergency submersible pump for emptying and/or drainage in case of emergency. Electric pump made of sturdy thermoplastic material. Motor, shaft and screws made of stainless steel. Triple seal with intermediate rings with oil pre-chamber. Built-in float for automatic operation. The float is installed in separate housing that is easily accessible for maintenance/cleaning.

Last modified date: 14/03/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>