

**Hayward Pool pump PP GF 50  
mm glue socket 2,6A 230VAC  
black type PWL 0.5HP  
(7038743)**



 **HAYWARD®**

# TECHNICAL SPECIFICATIONS

Colour	black
Type	PWL
Shaft	stainless steel
Pump body	PP GF
Material impeller 1	noryl
Material cover	polycarbonate
Material seal	stainless steel 304
Connection	glue socket
Length	504 mm
Voltage	230VAC
Max. temperature	35 °C
Width	208 mm
Height	265 mm
Frequency	50 Hz
IP value	IP55
Capacity	9,71 m <sup>3</sup> /h
Output Power	0,5 HP



Size 50 mm

Weight 8.8 kg

Ampere 2,6 A

## DIMENSIONS

A 504 mm



## PRODUCT INFORMATION

The Powerline pump is ideal for small pools and/or above ground pools up to 70m<sup>3</sup>.

Feature:

- 1.1 L prefilter
- 50 mm outlet and  $\varnothing$  32/38 mm fluted adapters
- Easy-open strainer with twist-lock cover
- Drain release plug for easy winterising
- Salt water resistant to 0.4% (4gr/ltr)
- Pump shaft in stainless steel
- Self-priming pump with fully enclosed, ventilated engine
- Including power cable

**Last modified date: 27/05/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>