

Rain Bird Irrigation controller with flow module 230VAC white type ILXME2EU PRO EU 12 stations (7034652)



RAIN BIRD

TECHNICAL SPECIFICATIONS

Colour	white
--------	-------

Type	ILXME2EU
------	----------

Type	PRO EU
------	--------

Voltage	230VAC
---------	--------

Thickness	140 mm
-----------	--------

Height	322 mm
--------	--------

Number of Stations	12
--------------------	----

PRODUCT INFORMATION

The LXME2 is a commercial controller that has been recently upgraded to offer 40 programs. The unit has a large backlit LCD screen and is a fully modular controller providing users the option to customise station capacity from 12 to 48 stations. The FloManager™ brilliantly manages hydraulic demand, making optimum use of available water to shorten the total watering time. SimulStations™ are programmable to allow up to 5 stations to operate at the same time. The LXME2 also comes with features like rain delay, station delay by program, and programmable weather sensor by station, which helps to prevent or pause watering. It has diagnostic features like an alarm light with an external case lens, provides program summary and review, an external alarm port (0.1A max), and RASTER™ station wiring test.

Last modified date: 28/05/2026

Bosta UK Ltd.
Reflection House
Olding Road

Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>