


**Part circle sprinkler brass 1"  
female thread 5,6 mm 360°  
type RC 165 (0630200)**



# TECHNICAL SPECIFICATIONS

Type	RC 165
Material	brass
Connection	female thread
Sector adj. range	360°
Nozzle size	5,6 mm
Rec. press.	2,5 - 5,5 bar
Capacity 3bar	2,09 m <sup>3</sup> /h
Capacity 4bar	2,42 m <sup>3</sup> /h
Capacity 5bar	2,72 m <sup>3</sup> /h
Size	1"
Radius 3bar	18,1 m
Radius 4bar	18,5 m
Radius 5bar	18,7 m

Type RC 165														
5,2mm x 3,2mm			5,6mm			5,6mm x 3,2mm			6,4 mm			6,4mm x 3,2mm		
Bar	Q	R	Bar	Q	R	Bar	Q	R	Bar	Q	R	Bar	Q	R
3,5	2,34	16,8	3,5	2,26	16,8	3,5	3,05	16,8	3,5	2,96	17,4	3,5	3,75	17,4
4,5	3,08	17,8	4,5	2,98	18,0	4,5	3,47	18,0	4,5	3,37	18,9	4,5	4,26	18,9
5,5	3,36	18,3	5,5	2,86	19,2	5,5	3,83	19,2	5,5	3,74	19,8	5,5	4,71	19,8

Last modified date: 08/03/2026

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>