

**Profec Pool hose PVC 34 mm x
40 mm 5bar grey 25m type
Poolflex (0519013)**



TECHNICAL SPECIFICATIONS

| | |
|--------|------|
| Colour | grey |
|--------|------|

| | |
|------|----------|
| Type | Poolflex |
|------|----------|

| | |
|----------|-----|
| Material | PVC |
|----------|-----|

| | |
|-------------------|--------------|
| Temperature range | -10°C - 55°C |
|-------------------|--------------|

| | |
|------|---------------|
| Size | 34 mm x 40 mm |
|------|---------------|

| | |
|--------|------|
| Length | 25 m |
|--------|------|

| | |
|---------|-------|
| Inner ø | 34 mm |
|---------|-------|

| | |
|---------|-------|
| Outer ø | 40 mm |
|---------|-------|

| | |
|----------------|--------|
| Bending radius | 120 mm |
|----------------|--------|

| | |
|----------|-------|
| Pressure | 5 bar |
|----------|-------|

| | |
|----------------|------|
| Wall thickness | 3 mm |
|----------------|------|

PRODUCT INFORMATION

Because of the smooth exterior, this hose can be glued with normal PVC fittings and Profec PVC glue, type S3 or Griffon WDF-05.

Last modified date: 08/03/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>