

Honeywell Pressure reducing valve brass 3/4" male thread 25bar 0,16 mm DN20 stainless steel type D06FN (0410919)



Honeywell

TECHNICAL SPECIFICATIONS

| | |
|-------------------------|-----------------------|
| Type | D06FN |
| Material | brass |
| Material filter element | stainless steel |
| Membrane material | EPDM |
| Material housing | brass |
| Material seal | EPDM |
| Connection | male thread |
| Max. temperature | 60 °C |
| Filtration | 0,16 mm |
| Outlet pressure | 0,5 - 2 bar |
| Pressure | 25 bar |
| Capacity | 3,1 m ³ /h |
| Size | 3/4" |
| Length | 160 mm |
| DN | 20 |
| Weight | 1.6 kg |
| Height | 204 mm |

PRODUCT INFORMATION

Same as type D06F, but without setting scale. With a brass sieve holder, without a pressure gauge.

For water and other non-aggressive liquids, compressed air and nitrogen.

The valve comes without couplings

Last modified date: 23/05/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>