

Break tank 3/4" x 1" male thread 230VAC BELGAQUA type Mini DSCT with NGXM2 & Logicpres (7023557)



TECHNICAL SPECIFICATIONS

Type	Mini DSCT with NGXM2 & Logicpres
------	----------------------------------

Approval	BELGAQUA
----------	----------

Tank	10 ltr
------	--------

Connection	male thread
------------	-------------

Maximum flow	40 ltr/min
--------------	------------

Voltage	230VAC
---------	--------

Pump	Calpeda NGXM2
------	---------------

Max working pressure	4 bar
----------------------	-------

Capacity Pressure	1,5 m ³ /h @ 2,5 bar
-------------------	---------------------------------

Control Unit Pump	Logicpress 1.5 bar
-------------------	--------------------

Variable Speed	No
----------------	----

Size	3/4" x 1"
------	-----------

PRODUCT INFORMATION

Features:

- Compact break tank, suitable for floor- and wall installation.
- Flow rate 2 m³/h at 2 bar.
- Provided with a press control breaker set.

- Material tank: PE.

Last modified date: 05/10/2025

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>