Break tank 3/4" x 1" male thread 230VAC BELGAQUA type Hydrobox 750 with E-Tech VN5/7T & Logic STP 8.9 (7023571)





TECHNICAL SPECIFICATIONS

| Туре | Hydrobox 750 with E-Tech VN5/7T & Logic STP 8.9 |
|----------------------|---|
| Approval | BELGAQUA |
| Tank | 750 ltr |
| Connection | male thread |
| Maximum flow | 125 ltr/min |
| Voltage | 230VAC |
| Pump | E-tech VN 5/7 T |
| Max working pressure | 7 bar |
| Capacity Pressure | 5 m³/h @ 5,5 bar |
| Control Unit Pump | Logic STP 8.5 |
| Variable Speed | Yes |
| Size | 3/4" x 1" |

PRODUCT INFORMATION

Large break tank with 500l capacity suitable for floor Installation Flow rate: 5 - 7 m3/h Operating Pressure: 3 - 5 bar ON/OFF system integrated with dry running protector Provided with Multi - Impeller Submersible Pump with Pressure Controller Two brass drain taps at the bottom of tank (1 1/4" & 1 1/2") and one on the sides (2") Material Tank: PE



Last modified date: 06/10/2025

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
http://www.bosta.com

