

Hayward Pool pump PP GF 63 mm glue socket 6,5A 230VAC black type RS II 30201 2HP (7017118)



 **HAYWARD**

TECHNICAL SPECIFICATIONS



| | |
|---------------------|----------------------|
| Colour | black |
| Pump body | PP GF |
| Material impeller 1 | noryl |
| Material seal | stainless steel 304 |
| Connection | glue socket |
| Max. temperature | 35 °C |
| Width | 234 mm |
| Height | 305 mm |
| Frequency | 50 Hz |
| IP value | IP55 |
| Type | RS II 30201 |
| Capacity | 23 m ³ /h |
| Output Power | 2 HP |
| Size | 63 mm |
| Length | 594 mm |
| Voltage | 230VAC |
| Weight | 15 kg |

Power 1.5 kW

Ampere 6,5 A

BEP Capacity 18.85

BEP Head 11.4



PRODUCT INFORMATION

Quiet, yet heavy-duty, the Hayward RS II pool pump delivers optimum filtration control and less need for cleaning thanks to the spacious filter-basket. The highly-efficient, German motor ensures smooth running and a reliable lifetime.

Features:

- Union connection: Glue socket 63 mm
- Salt water resistant to 0.4% (4gr/ltr)
- Exclusive by Bevo/Bosta
- 180 degrees rotatable box for convenient access
- Suitable for pools up to 100m³

Last modified date: 09/03/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>