DAB Submersible pump stainless steel 304 2" female thread 8,63A 230VAC stainless steel type Feka VS 1100 M-A with float switch (7043788)



DAB
MAKING WATER EASY

bosta
bringing water to life

TECHNICAL SPECIFICATIONS


Colour	stainless steel
Material	stainless steel 304
Pump body	stainless steel 304
Material impeller 1	stainless steel 304
Connection	female thread
Max. temperature	50 °C
Minimum medium temperature (continuous)	0 °C
Press	2 "
Maximum ambient temperature	40 °C
Minimum ambient temperature	0 °C
Type	Feka VS 1100 M-A
Output Power	1,5 HP
Max. head	14 m
Size	2"
Float	included
WebshopURL	https://www.bosta.com/en-gb/dab-submersible-pump-stainless-steel-304-2-female-thread-8-63a-230vac-stainless-


steel-type-feka-vs-1100-m-a-with-float-switch-7043788

Voltage	230VAC
Power	1.1 kW
Ampere	8,63 A
Max flow rate	32 m^3/h
BEP Capacity	21.4
BEP Head	7.67
PORlh	10.1
PORhh	5.86
PORlq	14.98
PORhq	25.68

DIMENSIONS

Cb-1	98 mm
Db	170 mm
H	172 mm
L	492 mm
W-1	203 mm
ØDi-1	2 "





PRODUCT INFORMATION

Power cable: 10 metre H07RN-F, with plug for the single-phase version.
Installation: fixed or portable, vertical position.
Maximum immersion depth: 7 metre
Suitable for residential waste water as sewage containing solid matter with size up to 50 mm.

Last modified date: 02/11/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
http://www.bosta.com

bosta
bringing water to life