# 3-way ball valve L-bore brass nickel plated 3/4" female thread 16bar DN20 type L-bore side connection (0401477)



bosta
bringing water to life


# TECHNICAL SPECIFICATIONS

| | |
|---|---|
| Type | L-bore |
| Material | brass |
| Surface treatment | nickel plated |
| Operation | lever |
| Colour lever | red |
| Handle material | aluminium |
| Ball material | hard chrome plated brass |
| Shaft | PVC |
| Material housing | brass |
| Material seal | PTFE |
| Ball bore | L-bore |
| Connection type | side connection |
| Connection | female thread |
| Flow | full |
| Temperature range | -30°C - 150°C |
| Pressure | 16 bar |
| Size | 3/4" |

| | |
|---|---|
| WebshopURL | https://www.bosta.com/en-gb/3-way-ball-valve-l-bore-brass-nickel-plated-3-4-female-thread-16bar-dn20-type-l-bore-side-connection-0401477 |
| DN | 20 |

# DIMENSIONS

| | |
|---|---|
| Ct-1 | 83 mm |
| F-1 | 22 mm |
| F-2 | 22 mm |
| Lb | 92 mm |
| R | 145 mm |
| ØDf | 20 mm |
| ØDi-1 | 3/4 " |
| ØDi-2 | 3/4 " |
| ØDi-3 | 3/4 " |



# Last modified date: 31/10/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
http://www.bosta.com

bosta
bringing water to life