

# Counter current system 2" 8.0 - 4.6A 400VAC type Jet Swim Motion Classic (7029031)



# TECHNICAL SPECIFICATIONS

Type	Jet Swim Motion Classic
------	-------------------------

Output Power	3 HP
--------------	------

Size	2"
------	----

Voltage	400VAC
---------	--------

Power	2.2 kW
-------	--------

Ampere	8.0 - 4.6 A
--------	-------------

Max flow rate	46 m <sup>3</sup> /h
---------------	----------------------

IP value	IP55
----------	------

## PRODUCT INFORMATION

Jet Swim Motion is made of acid-proof stainless steel AISI 316L and has a completely new flow technique with two oval nozzles, of which the lower is directed downward for a more even distribution of the streams. This provides a much more natural swimming technique compared to most counter-current units found on the market. With a motor power of 2.2 kW and pump capacity of 46 m<sup>3</sup>/h, you can easily exercise your strength and conditioning. The air mixture in the jet streams is adjusted seamlessly in order to suit your personal needs.

Features:

- Stainless steel front AISI 316L
- New flow technology with two oval nozzles
- Seamlessly adjustable setting of the air mixture

- Pneumatic start button
- With combination of mounting set, suitable for mono-block pools with wall thickness between 6 and 20mm

**Last modified date: 06/10/2025**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>