
Profec Stub flange PVC-U 25 mm glue socket 16bar DN20 grey PN16 WRAS (0110899)



PROFEC


bosta
bringing water to life

TECHNICAL SPECIFICATIONS

Colour	grey
Material	PVC-U
Approval	WRAS
Material housing	PVC-U
Material seal	EPDM
Connection	glue socket
Size	25 mm
Packaging	750 pcs
WebshopURL	https://www.bosta.com/en-gb/profec-stub-flange-pvc-u-25-mm-glue-socket-16bar-dn20-grey-pn16-wras-0110899
DN	20
Flange	PN16
Outer ø	33 mm
Weight	0.016 kg
Thickness	7 mm
Pressure	16 bar
PCD	33 mm

DIMENSIONS

Db	41 mm
Lb	22 mm
T	7 mm
ØDi-1	25 mm
ØDo-1	33 mm



PRODUCT INFORMATION

Next to the connection dimensions (Size and PCD) for the backing rings and stub flanges we show the inner-hole size of the backing flange and the pipe size from the stub flange.
For backing rings, the inner hole size is given in column Inner Ø
For stub flanges, the pipe size is given in column Outer Ø

Last modified date: 30/10/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
http://www.bosta.com

bosta
bringing water to life