


**Profec Ultrasonic water meter  
stainless steel 304 DN80 DIN  
flange 16bar 3.6V Li-battery  
grey CE/MID type Class 2  
(7038811)**



# TECHNICAL SPECIFICATIONS

|                    |                                  |
|--------------------|----------------------------------|
| Colour             | grey                             |
| Type               | Class 2                          |
| Material           | stainless steel 304              |
| Approval           | CE/MID                           |
| Material flange    | ductile iron                     |
| Connection         | DIN flange                       |
| Pulse              | 10 ltr                           |
| Max. reading       | 99999999.99999 m <sup>3</sup> /h |
| Connectivity       | 2-wire Mbus output               |
| Min. temp.         | 0.1 °C                           |
| Voltage            | 3.6V Li-battery                  |
| Pressure           | 16 bar                           |
| IP value           | IP68                             |
| Max. temp.         | 50 °C                            |
| Size               | DN80                             |
| Q1 ISO 4064 (2005) | 0.1575 m <sup>3</sup> /h         |
| Q3 ISO 4064 (2005) | 63 m <sup>3</sup> /h             |

Q4 ISO 4064 (2005) 78.25 m<sup>3</sup>/h

Length 225 mm

Width 205 mm

## DIMENSIONS

H 280 mm

Install. length 225

## PRODUCT INFORMATION

Ultrasonic water meter with 10 year lifetime battery, IP68 Class 2, PN16 and CE/MID approval and M-bus output.

**Last modified date: 11/03/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>