DAB High Flow centrifugal pool pump fibreglass-reinforced PP DN100 flange 9.6A 400VAC black type Europro 1000T (7043312)








TECHNICAL SPECIFICATIONS

Colour	black
Shaft	stainless steel 316
Pump body	fibreglass-reinforced PP
Material impeller 1	noryl
Material cover	fibreglass-reinforced PP
Material seal	stainless steel 316
Connection	flange
Voltage	400VAC
Max. temperature	40 °C
Frequency	50 Hz
Maximum ambient temperature 40 °C	
IP value	IP55
Motor RPM	1450
Туре	Europro 1000T
Capacity	170 m ³ /h
Output Power	10 HP
Size	DN100



Weight	76 kg
Power	7.5 kW
MWC	17.6
Ampere	9.6 A



High performance self-priming centrifugal electric pumps with built-in high capacity prefilter. 2 or 4 pole motor completely isolated from the water. Extremely quiet and highly reliable, developed for water circulation and filtration in large swimming pool filtration systems. Thanks to the AISI 316 mechanical seal, they are also suitable for specific applications for the circulation of sea water.

Last modified date: 07/10/2025

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
http://www.bosta.com

