

Pentair Pool pump 50/63 mm glue socket 5,9A 230VAC black type IntelliFlo3® (7035820)



TECHNICAL SPECIFICATIONS

Colour black

Type IntelliFlo3®

Connection glue socket

Voltage 230VAC

Width 297 mm

Frequency 50 Hz

Maximum ambient temperature 50 °C

Minimum ambient temperature 0 °C

IP value IPX5

Packaging dimensions L/W/H 770 x 390 x 465 mm

Capacity 24 m³/h

Output Power 1,5 HP

Size 50/63 mm

Length 633 mm

Weight 20.4 kg

Power 1.1 kW

Height 305 mm

Ampere

5,9 A




Motor RPM

400 - 4000

DIMENSIONS

A

633 mm



PRODUCT INFORMATION

The IntelliFlo3 VSF Pool Pump leverages built-in sensor less flow control for optimum water flow adjusted to the pool's conditions, keeping the pool performing at its best. Set up, monitor and operate the pump from anywhere with wireless technology control through the Pentair Home App.

Features:

- Permanent magnet motor design, made in Italy

- 4g/l salt resistant
- Unions included: 50 and 63mm (1.5HP), 63 and 75 mm (3HP model)
- Intelliprotocol communication (RS485) compatible with Intellipool (Fw 5.07) and Speedeo Connect

Last modified date: 27/05/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>