

# Hunter Wind and rain sensor 5A 24VAC white type MWS (7026298)



**Hunter®**

# TECHNICAL SPECIFICATIONS

|        |       |
|--------|-------|
| Colour | white |
|--------|-------|

|      |     |
|------|-----|
| Type | MWS |
|------|-----|

|         |       |
|---------|-------|
| Voltage | 24VAC |
|---------|-------|

|        |        |
|--------|--------|
| Height | 200 mm |
|--------|--------|

## PRODUCT INFORMATION

Be smart and adapt to the weather with the Hunter Mini Weather Station. Efficient irrigation goes hand in hand with preparing adequately for changing weather. The Hunter Mini Weather Station helps system administrators to prepare as best possible by combining three different Hunter sensor devices in one practical unit. Connect the unit to the controller with the two wires and adjust the irrigation to suit the weather. How it works: Three different weather stations - The Mini-Clik rain sensor switches off the irrigation during rain storms and shuts off the system, so the amount of rain is compensated automatically. - The Freeze-Clik prevents the system being activated by automatically stopping the water flow when the outside temperatures drop to near freezing. - The Wind-Clik switches off the system during periods of high winds and restores them automatically when the circumstances have improved. Specifications of the Hunter Mini Weather Station - Compact sensor with integrated wind, rain and frost sensors. - Easy to install on automatic irrigation systems. - Switches the system off automatically if the temperature drops below 2 degrees Celsius. - The wind activation rate can be adjusted to switch off at winds ranging from 12 to 35 mph. - The system deactivation can be adjusted to switch off at rain fall between 3 and 20 mm.

**Last modified date: 10/03/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds

Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>