

**Pressure pipe PVC-A 160 mm x  
5.6 mm ring seal x plain ISO-  
PN12,5 blue 6m KIWA  
(7027774)**



# TECHNICAL SPECIFICATIONS

|                       |                   |
|-----------------------|-------------------|
| Colour                | blue              |
| Material              | PVC-A             |
| Approval              | KIWA              |
| Connection            | ring seal x plain |
| Length                | 6 m               |
| Expansion coefficient | 0.06              |
| ISO 1452              | PN12,5            |
| Bending angle         | 3 °               |
| Max. temp.            | 60 °C             |
| Size                  | 160 mm            |
| Wall thickness        | 5,6 mm            |

## PRODUCT INFORMATION

This unique PVC-A pipe has the resistance of PVC-U and the ductility of PE pipes.  
Weighs app. 25% less than a PE pipe of the same PN.  
Extremely high resistance to cracking.  
Significant impact resistance even at low temperatures.  
Double seal EPDM and PP ring

**Last modified date: 10/03/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>