# Norsup Cartridge filter HDPE 2" imperial glue socket 3.5bar grey type ICF680 (7034330)



NORSUP




## **TECHNICAL SPECIFICATIONS**

Colour	grey
Material	HDPE
Connection	imperial glue socket
Pressure	3.5 bar
Max. temp.	40 °C
Туре	ICF680
Capacity	34,5 m <sup>3</sup> /h
Size	2"
Weight	48.3 kg
Filter area	63.1 m <sup>2</sup>
Max. pool vol.	190 m <sup>3</sup>

## **DIMENSIONS**

Α	1362 mm
В	556 mm
С	317.5 mm
D	444.5 mm





#### **PRODUCT INFORMATION**

The Norsup multi-element cartridge filter utilises the latest cartridge filter technology and is constructed with non-corroding, durable material. The filter contains a large filter area, high flow capacity tank and multiple filter elements which provides an unrivalled level of hydraulic debriscatching performance. You can also save precious pool water as the filter does not need to be backwashed.

#### Features:

- Large flow air relief valve
- Pressure gauge included
- Detachable, easy grip handle
- UV resistant tank with max temperature resistance of 40°C
- 3-way clamp kit allows easy access inside the filter for cleaning & cartridge replacement



- 1.5" bottom drain plug allowing efficient winterisation & simple cleaning & rinsing with a standard garden hose
- Multiple elements provide greater surface area to catch debris keeping pool maintenance to a minimum
- Water saving design with no backwash required
- Ideal in combination with Multicyclone or Norsup UV-C
- 10 years tank warranty

#### Last modified date: 07/10/2025

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
http://www.bosta.com

