

**NaanDan Drip irrigation hose**  
**PE 16 mm x 1,0 mm 3,5bar**  
**1,1ltr/h 50cm black 400m type**  
**PC Inline (7020714)**



**NaanDan**  
by Rivulis

# TECHNICAL SPECIFICATIONS

Colour	black
Type	PC Inline
Material	PE
Flow	1,1 ltr/h
Length	400 m
Inner ø	14 mm
Opening pressure	0,5 bar
Pressure	3,5 bar
Rec. press.	0,5 - 3,5 bar
Wall thickness	1,0 mm
Size	16 mm
Max. Length	280 m
Dripper spacing	50 cm

## PRODUCT INFORMATION

The Naan PC (Pressure Compensated) round dripper with 2 outlet holes gives the dripline additional strength against recoiling and resistance against clogging.  
Pressure Regulating Range: 0.5 - 4.0 bar.

Recommended filtration: 130 micron.  
Maximum Lateral Length at 0% slope.

**Last modified date: 09/03/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>