

**Foras Jet pump cast iron 1 1/2"
x 1" female thread 8bar 13A
230VAC blue self priming type
JA 300 (7034799)**



TECHNICAL SPECIFICATIONS

Colour	blue
Material	cast iron
Pump body	cast iron
Material impeller 1	noryl
Model	self priming
Connection	female thread
Seal	type B
Max. temperature	50 °C
Minimum medium temperature 0 °C (continuous)	
Press	1 "
Suction	1 1/2 "
Type	JA 300
Max. head	68.4 m
Size	1 1/2" x 1"
Voltage	230VAC
Power	2.2 kW

Ampere	13 A
--------	------

Max flow rate	7.8 m ³ /h
---------------	-----------------------

Maximum ambient temperature	40 °C
-----------------------------	-------

BEP Capacity	7
--------------	---

BEP Head	39
----------	----

PORlh	34
-------	----

PORhh	50
-------	----

PORlq	4.64
-------	------

PORhq	7.92
-------	------

Minimum ambient temperature	0 °C
-----------------------------	------

Seal	69 mm
------	-------

DIMENSIONS

Cb-1	112 mm
------	--------

Cb-2	240 mm
------	--------

Cr-1	257 mm
------	--------

Ct-1	128 mm
------	--------

H	240 mm
---	--------

L	596 mm
---	--------

LB	309 mm
----	--------

LM	287 mm
----	--------

MW	177 mm
----	--------

W	220 mm
---	--------

PRODUCT INFORMATION

Specifications:

Jet type self-priming electric pumps for suction up to 7-8 metres deep.

Motor sealed auto-ventilated.

Max. pressure: 6 bar

Water temperature: max. 40°C

These pumps are ready for installation by a qualified electrician.

Last modified date: 10/07/2026

Bosta UK Ltd.

Reflection House

Olding Road

Bury St. Edmunds

Suffolk

IP33 3TA

T +44 (0) 1284 716580

E enquiries@bosta.co.uk

<http://www.bosta.com>