Jet pump cast iron 1" female thread 3,2A 230VAC blue type Jet 100 A (7031126)





TECHNICAL SPECIFICATIONS

Colour	blue
Туре	Jet 100 A
Material	cast iron
Pump body	cast iron
Material impeller 1	noryl
Connection	female thread
Voltage	230VAC
Max. temperature	40 °C
Power	1.1 kW
MWC	50
Ampere	3,2 A
Max flow rate	3.6 m ³ /h
Press	1 "
Maximum ambient temperature 40 °C	
Suction	1 "
Size	1"
BEP Capacity	2.4




BEP Head	30
PORIh	0.55
PORhh	50
PORIq	0.3
PORhq	3.6


DIMENSIONS


L	390 mm
Н	200 mm
W	180 mm
L	375 mm
W-1	180 mm
ØDi-1	1 "
ØDi-2	1 "
0	10 mm
Cb-1	147 mm
G-1	135 mm
CI-1	90 mm
Mr	220 mm



H 200 mm







PRODUCT INFORMATION

Single-stage self-priming centrifugal surface pump equipped with the Venturi tube system for increased suction capacity, designed for pumping of clean cold water from own intakes and for increasing pressure. The pump body is made of durable cast iron, and the pump motor is provided with thermal protection. The pump has a power cable with a plug. Application: Supply of water to houses, holiday houses, allotments and gardens. When combined with pressure tanks, the pumps can be used for single- and multi-family residential housing, in industrial applications and for irrigation purposes.

Last modified date: 07/10/2025

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
http://www.bosta.com

