

**Profec Nr. 331 Union coupler  
cast iron galvanised 3/4"  
female thread x male thread  
25bar DVGW type flat  
(1033105)**



# TECHNICAL SPECIFICATIONS

|                   |                             |
|-------------------|-----------------------------|
| Type              | flat                        |
| Material          | cast iron                   |
| Surface treatment | galvanised                  |
| Approval          | DVGW                        |
| Material seal     | NBR                         |
| Connection        | female thread x male thread |
| Fitting nr.       | Nr. 331                     |
| Pressure          | 25 bar                      |
| Size              | 3/4"                        |
| Length            | 75 mm                       |


## DIMENSIONS

|       |       |
|-------|-------|
| L     | 72 mm |
| ØDi-1 | 3/4 " |
| ØDo-2 | 3/4 " |
| F-1   | 16 mm |
| F-2   | 19 mm |

Kn 50 mm

K-1 31 mm

K-2 31 mm



**Last modified date: 05/10/2025**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>