

**Foras Submersible pump
stainless steel 2" female thread
2,2A 400VAC stainless steel
type DS 80 T set-back Vortex
with float switch (7006437)**



TECHNICAL SPECIFICATIONS

Colour stainless steel

Material stainless steel

Pump body stainless steel

Material impeller 1 stainless steel

Max. head 7,4 m

Connection female thread

Type set-back Vortex

Float included

Voltage 400VAC

Max. temperature 40 °C

Minimum medium temperature 0 °C
(continuous)

Max flow rate 12 m³/h

Press 2 "

Maximum ambient temperature 40 °C

Minimum ambient temperature 5 °C

Type DS 80 T

Size	2"
------	----


Power	1.05 kW
-------	---------

Ampere	2,2 A
--------	-------

DIMENSIONS

H-1	395 mm
-----	--------

W-1	183 mm
-----	--------



PRODUCT INFORMATION

2 pole induction motor with thermal protection. Max. depth of immersion: 5m Includes 10m cable H07 RNF.

Last modified date: 08/05/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>