

**Break tank 3/4" x 1" male  
thread 230VAC BELGAQUA  
type Hydrobox 750 with MXAM  
405 & Logic SP 8.9 (7023570)**



# TECHNICAL SPECIFICATIONS

Type	Hydrobox 750 with MXAM 405 & Logic SP 8.9
------	---

Approval	BELGAQUA
----------	----------

Tank	750 ltr
------	---------

Connection	male thread
------------	-------------

Maximum flow	130 ltr/min
--------------	-------------

Voltage	230VAC
---------	--------

Pump	Calpeda MXAM 405
------	------------------

Max working pressure	5,1 bar
----------------------	---------

Capacity Pressure	6 m <sup>3</sup> /h @ 3,1 bar
-------------------	-------------------------------

Control Unit Pump	Logic STP 8.5
-------------------	---------------

Variable Speed	Yes
----------------	-----

Size	3/4" x 1"
------	-----------

## PRODUCT INFORMATION

Large break tank with 500l capacity suitable for floor Installation Flow rate: 5 - 7 m3/h Operating Pressure: 3 - 5 bar ON/OFF system integrated with dry running protector Provided with Multi - Impeller Submersible Pump with Pressure Controller Two brass drain taps at the bottom of tank (1 1/4" & 1 1/2") and one on the sides (2") Material Tank: PE

**Last modified date: 05/10/2025**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>