Honeywell Pressure reducing valve brass 2" male thread 16bar 0,16 mm DN50 stainless steel DVGW/KIWA/WRAS type D06F (0410950)



Honeywell

bosta
bringing water to life

TECHNICAL SPECIFICATIONS

Type	D06F
Material	brass
Approval	DVGW/KIWA/WRAS
Material filter element	stainless steel
Membrane material	NBR
Material housing	brass
Material seal	NBR
Connection	male thread
Filtration	0,16 mm
Factory pre-adjustment	3 bar
Outlet pressure	1,5 - 6 bar
Pressure	16 bar
Max. temp.	40 °C
Capacity	12 m^3/h
Size	2"
WebshopURL	https://www.bosta.com/en-gb/honeywell-pressure-reducing-valve-brass-2-male-thread-16bar-0-16-mm-dn50-stainless-steel-dvgw-kiwa-wras-type-d06f-0410950

Length	255 mm
DN	50
Weight	4.5 kg
Height	299 mm

PRODUCT INFORMATION

Comes without pressure gauge.

Last modified date: 31/10/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
http://www.bosta.com