

**Profec Water meter brass 3/4"  
male thread 16bar 0,1A  
1.5m<sup>3</sup>/h DN15 24V blue CE/MID  
MD-A/MD-AP type TL multi jet  
horizontal with pulse option  
(0892315)**



# TECHNICAL SPECIFICATIONS

Colour blue

Type TL multi jet

Material brass

Approval CE/MID

Model MD-A/MD-AP

Connection male thread

Type horizontal with pulse option

Min. reading 0.00005 m<sup>3</sup>/h

Voltage 24V

Pressure 16 bar

Max. temp. 50 °C

Capacity Qmax 3 m<sup>3</sup>/h

Capacity Qn 1.5 m<sup>3</sup>/h

DN 1/2 "

Size 3/4"

Pulse option 10 ltr

Q1 ISO 4064 (2005) 0.03 m<sup>3</sup>/h

Q3 ISO 4064 (2005)	2.5 m <sup>3</sup> /h
--------------------	-----------------------

Q4 ISO 4064 (2005)	3.1 m <sup>3</sup> /h
--------------------	-----------------------

Max. reading	99.999 m <sup>3</sup> /h
--------------	--------------------------

Length	165/190 mm
--------	------------

DN	15
----	----

Width	99 mm
-------	-------

Diam.	1/2 "
-------	-------

## DIMENSIONS

H	104 mm
---	--------

## PRODUCT INFORMATION

Multi-jet water meters are provided with an installed pulse output option rotor. The pulse output option as given in specs.

The pulse output option rotor can activate pulse reader.

Pulse output option rotor can be changed with one of the other rotors on the counter.

**Last modified date: 08/03/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA

T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>