

(7026879)



**FLOTIDE**

# TECHNICAL SPECIFICATIONS

Colour white

Material steel

Voltage 230VAC

Temperature range 10°C - 32°C

Frequency 50 Hz

Type P2.2/32

Capacity 220 - 450 m<sup>3</sup>/h

Length 1343 mm

Width 248 mm

Height 790 mm

Noise level 44 dB

## PRODUCT INFORMATION

Flotide dehumidifier absorbs moist air in the pool house and transforms it into warm, dry air. Includes defrost function to prevent icing when temperature is below 10°C. Also includes electric heater to raise the pool hall temperature 2 degrees above the water temperature which reduces evaporation. Flotide dehumidifier works as an essential partner with heat pumps on indoor pools. Installing a dehumidifier allows users to enjoy swimming in a comfortable pool house environment without problems such as wall condensation, corrosion and water damage.

Features:

- High efficiency
- Defrost and air heating function
- Super silent running at 44dB
- Epoxy fin air exchanger is featured for excellent anti-corrosion performance
- Ultra-thin casing - only 6.5cm width
- Modern glass fronted casing with touch control panel
- Stainless Steel wall mounting included
- Humidistat included - automatic shut-off when humidity level drops below 50%
- Wi-Fi module included

**Last modified date: 26/05/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>