

Submersible pump stainless steel/EPDM 1" 3,9A 230VAC black MULTI-IS (7023831)



TECHNICAL SPECIFICATIONS

Colour	black
Material	stainless steel/EPDM
Type	MULTI-IS
Voltage	230VAC
Max. temperature	40 °C
Press	1 "
Size	1"
Power	0.9 kW
MWC	36
Ampere	3,9 A
Max flow rate	5.7 m ³ /h
BEP Capacity	2.4
BEP Head	28
PORlh	30
PORhh	3
PORlq	1.8
PORhq	3

DIMENSIONS

H-1

450 mm

PRODUCT INFORMATION

The multi-stage, vertical submersible motor pumps are fully automatic centrifugal pumps with built-in pump controller and backflow valve. The outstanding technical features of the MULTI-IS makes this the best solution for using a submersible pump in domestic water applications. The pump controller automatically switches the pump on and off, depending on the water consumption. Apart from this, it also protects against dry running. The pumps are entirely made of corrosion-resistant materials to ensure a long service life.

Last modified date: 06/10/2025

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>