
Profec Stub flange PVC-U 250 mm glue socket 10bar DN225 grey PN10 WRAS (0110911)



PROFEC


bosta
bringing water to life

TECHNICAL SPECIFICATIONS

Colour	grey
Material	PVC-U
Approval	WRAS
Material housing	PVC-U
Material seal	EPDM
Connection	glue socket
Size	250 mm
Packaging	4 pcs
WebshopURL	https://www.bosta.com/en-gb/profec-stub-flange-pvc-u-250-mm-glue-socket-10bar-dn225-grey-pn10-wras-0110911
DN	225
Flange	PN10
Outer ø	274 mm
Weight	2.31 kg
Thickness	25 mm
Pressure	10 bar
PCD	282 mm

DIMENSIONS

Db	303 mm
Lb	125 mm
T	25 mm
ØDi-1	250 mm
ØDo-1	274 mm



PRODUCT INFORMATION

Next to the connection dimensions (Size and PCD) for the backing rings and stub flanges we show the inner-hole size of the backing flange and the pipe size from the stub flange.
For backing rings, the inner hole size is given in column Inner Ø
For stub flanges, the pipe size is given in column Outer Ø

Last modified date: 30/10/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
http://www.bosta.com

bosta
bringing water to life