

**Foras Jet pump cast iron 1 1/2"
x 1 1/4" female thread 8bar
8.5A 230VAC blue self priming
type JAM 150 (7034803)**



TECHNICAL SPECIFICATIONS

Colour	blue
Material	Cast iron
Pump body	Cast iron
Material impeller 1	Noryl
Model	self priming
Connection	female thread
Seal	type B
Max. temperature	50 °C
Minimum medium temperature 0 °C (continuous)	
Max flow rate	7.2 m ³ /h
Press	1 1/4 "
Suction	1 1/2 "
Type	JAM 150
Max. head	54.8 m
Size	1 1/2" x 1 1/4"
Voltage	230VAC

Power	1.5 kW
-------	--------

Ampere	8.5 A
--------	-------

Maximum ambient temperature 40 °C

BEP Capacity	6
--------------	---

BEP Head	29
----------	----

PORlh	35
-------	----

PORhh	51
-------	----

PORlq	4.2
-------	-----

PORhq	7.2
-------	-----

Minimum ambient temperature 0 °C

DIMENSIONS

Cb-1	175 mm
------	--------

Cb-1	175 mm
------	--------

Cb-2	231.5 mm
------	----------

Cl-1	167 mm
------	--------

Cr-1	167 mm
------	--------

Ct-1	56.5 mm
------	---------

G-1	165 mm
-----	--------

H 231.5 mm

H-1 231.5 mm

L 506 mm

L 506 mm

LM 236.4 mm

Mr 269.6 mm

MW 165 mm



O 9 mm

W 203 mm

W-1 203 mm

ØDi-1 1 1/2 "

ØDi-2 1 1/4 "



PRODUCT INFORMATION

Self-priming centrifugal pump for water supplies (even if mixed with gas) in small household systems, connected to autoclave tanks, for transferring liquids and emptying tanks; also used for gardening. MOTOR: 2-pole electric induction motor for continuous operations; stator made with low-loss laminated electric sheet steel; insulation Class F; IP 44 protection level; thermal protection for singlephase models; the user is responsible for supplying protection for the three-phase models.

Features:

- Cast iron pump casing with threaded inlet and outlet
- Cast iron motorbracket; impeller in Noryl or in brass
- Ceramic - graphite mechanical seal
- Motor shaft in AISI 416 steel
- World leading brand ball bearings
- Liquid temperature range 0 - 50 °C
- Max. operating pressure 8 bar.

Last modified date: 21/08/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>