

**DAB Jet pump cast iron 1"
female thread 6bar 4,7A
230/400VAC green self priming
type JET 132 T (7037875)**



TECHNICAL SPECIFICATIONS

Colour green

Material cast iron

Pump body cast iron

Material impeller 1 technopolymer A

Model self priming

Connection female thread

Voltage 230/400VAC

Max. temperature 35 °C

Minimum medium temperature 0 °C
(continuous)

Press 1 "

Maximum ambient temperature 40 °C

Suction 1 "

Type JET 132 T

Max. head 48,3 m

Size 1"

Power 1 kW

Ampere	4,7 A
--------	-------

Max flow rate	4.8 m ³ /h
---------------	-----------------------

BEP Capacity	3.1
--------------	-----

BEP Head	34.8
----------	------

PORlh	38.5
-------	------

PORhh	31.9
-------	------

PORlq	2.2
-------	-----

PORhq	3.8
-------	-----

DIMENSIONS

Cb-1	102.5 mm
------	----------

Cb-1	144 mm
------	--------

Cl-1	108 mm
------	--------

Cr-1	131.5 mm
------	----------

Ct-1	102.5 mm
------	----------

G-1	111 mm
-----	--------

H	203 mm
---	--------

L	409 mm
---	--------

L	430 mm
---	--------

LM 409 mm

Mr 192 mm



O 9 mm

W 263 mm

W-1 263 mm

ØDi-1 1 "

ØDi-2 1 "



PRODUCT INFORMATION

Suction up to 8 metres deep. Pump will be supplied without cable and DIN plug.

Last modified date: 08/05/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580

[E enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)

<http://www.bosta.com>