Hayward Pool pump 63 mm glue socket 5,9A 230VAC black type RS II VSTD 1.5HP (7016710)



HAYWARD

bosta
bringing water to life


TECHNICAL SPECIFICATIONS


Colour	black
Type	RS II VSTD
Pump body	PP GF
Material impeller 1	Noryl
Material cover	polycarbonate
Material seal	stainless steel 304
Connection	glue socket
Voltage	230VAC
Max. temperature	35 °C
Width	234 mm
Weight	14.5 kg
Height	305 mm
Frequency	50 Hz
Max. pool vol.	100 m^3
IP value	IP55
Motor RPM	600-3000
Output Power	1,5 HP

Size	63 mm
WebshopURL	https://www.bosta.com/en-gb/hayward-pool-pump-63-mm-glue-socket-5-9a-230vac-black-type-rs-ii-vstd-1.5hp-7016710
Power	1.1 kW
Ampere	5,9 A
Max flow rate	19.7 m^3/h

DIMENSIONS

A	230 mm





PRODUCT INFORMATION

The RS II VSTD pump provides optimum filtration control and significant energy savings for pools of all types and sizes. Running your filtration 24 hours a day makes it possible to save up to 75% on electrical consumption. The Heavy-Duty, highly efficient, German motor offers quiet running and will give a reliable lifetime.

Features:

- Exclusive for Bevo/Bosta
- Union connection: Glue socket 63 mm
- Salt water resistant to 0.4% (4gr/ltr)
- Integrated, easy access controller with strong buttons
- 5 possible daily speed changes
- Programmable skimming function
- 4 digital inputs (dry contact) for connecting external devices
- Control box with timer function

Last modified date: 01/11/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
http://www.bosta.com