

Full circle sprinkler brass 3/4" female thread 4,0 mm type RC 130 HH (0699008)



TECHNICAL SPECIFICATIONS

Type	RC 130 HH
Material	brass
Connection	female thread
Nozzle size	4,0 mm
Capacity 3bar	1,08 m ³ /h
Capacity 4bar	1,22 m ³ /h
Capacity 5bar	1,36 m ³ /h
Size	3/4"
Radius 3bar	15 m
Radius 4bar	15,2 m
Radius 5bar	15,8 m

Type RC 130 HH																	
4.0mm			4.8mm			4.9mm			4.0mm x 2.4mm			4.8mm x 2.4mm			4.8mm x 3.2mm		
Bar	Q	D	Bar	Q	D	Bar	Q	D	Bar	Q	D	Bar	Q	D	Bar	Q	D
2.5	0.95	26.0	2.5	1.15	27.0	2.5	1.40	30.0	2.5	1.35	26.0	2.5	1.55	27.0	2.5	2.05	30.0
3.5	1.15	27.0	3.5	1.38	28.4	3.5	1.67	30.8	3.5	1.60	27.0	3.5	1.80	28.4	3.5	2.40	30.8
4.5	1.30	27.5	4.5	1.55	29.4	4.5	1.87	31.8	4.5	1.78	27.5	4.5	2.03	29.4	4.5	2.75	31.8

PRODUCT INFORMATION

Plastic rotating cap protects spring and makes sprinkler suitable for overhead frost protection.

Last modified date: 24/05/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>