

DAB Multi-stage centrifugal pump stainless steel 304 1" female thread x male thread 6,5A 230VAC green self priming with press control type EUROINOX 40/80 Control D



TECHNICAL SPECIFICATIONS

Colour	green
Material	stainless steel 304
Material impeller 1	technopolymer
Model	self priming with press control
Connection	female thread x male thread
Voltage	230VAC
Press	1 "
Suction	1 "
Type	EUROINOX 40/80 Control D
Output Power	1,36 HP
Max. head	59 m
Size	1"
Power	1 kW
Max flow rate	7.2 m ³ /h
BEP Capacity	5.4
BEP Head	34.7

DIMENSIONS

Cb-1 143 mm

Cl-1 166 mm

G-1 111 mm

H 203 mm

H 203 mm

L 458 mm



Mr 241 mm

O 9 mm

W-1 174 mm

ØDi-1 1 "

ØDi-2 1 "



PRODUCT INFORMATION

Supplied with cable, ready to use.

Last modified date: 26/05/2026

Bosta UK Ltd.
 Reflection House
 Olding Road
 Bury St. Edmunds
 Suffolk
 IP33 3TA
 T +44 (0) 1284 716580
 E enquiries@bosta.co.uk
<http://www.bosta.com>