

# Flotide Pool filter set PE 50 mm / 1 1/2" metric/imperial glue socket 2bar 230VAC grey type FSP500-6W (7024686)



**FLOTIDE**

# TECHNICAL SPECIFICATIONS



Colour	grey
Material	PE
Connection	metric/imperial glue socket
Voltage	230VAC
Frequency	50 Hz
Pressure	2 bar
Max. temp.	40 °C
Type	FSP500-6W
Size	50 mm / 1 1/2"
Diameter	500 mm
Weight	27.8 kg
Sand	85 kg
Max flow rate	12 m <sup>3</sup> /h
Pump	SS075
Max. pool vol.	60 m <sup>3</sup>

## DIMENSIONS

A 760 mm

B 20 " inch

B 724 mm



## PRODUCT INFORMATION

Blow moulded polyethylene filter tank with top mount 6-way valve and centrifugal pump with pre-filter.

Features:

- Designed for domestic pools
- Simple operation with 6-way multi-port valve

**Last modified date: 10/03/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road

Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>