

# Submersible borehole pump 1" female thread 10A 230/400VAC type SKM 150 with control box - oil cooling (7031109)



# TECHNICAL SPECIFICATIONS

Pump body stainless steel 304

Material impeller 1 brass

Connection female thread

Type with control box - oil cooling

Max. temperature 35 °C

Outer ø 98 mm

Press 1 "

Maximum ambient temperature 35 °C

IP value IP68

Type SKM 150

Output Power 1,5 HP

Max. head 107 m

Size 1"

Voltage 230/400VAC

Weight 16 kg

Power 1.1 kW

Impellers 2

Height 530 mm

Ampere 10 A

Max flow rate 3 m<sup>3</sup>/h

BEP Capacity 2.1

BEP Head 25

PORlh 48

PORhh 11

PORlq 1.47

PORhq 2.52

## DIMENSIONS



Db 98 mm

H-1 530 mm

ØDi-1 1 "



# ØDi-1



# PRODUCT INFORMATION

Submersible borehole pump kit with built-in capacitor. Includes control box. With 20 metres cable, DIN plug and control box. UK / DIN plug included for UK deliveries

**Last modified date: 26/05/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>