

# DAB Multi-stage centrifugal pump stainless steel 304 1" female thread x male thread 3,9A 230VAC green self priming with press control type EUROINOX 30/50 Control D



# TECHNICAL SPECIFICATIONS

Colour	green
Material	stainless steel 304
Material impeller 1	technopolymer
Model	self priming with press control
Connection	female thread x male thread
Voltage	230VAC
Press	1 "
Suction	1 "
Type	EUROINOX 30/50 Control D
Output Power	0,75 HP
Max. head	42 m
Size	1"
Power	0.55 kW
Max flow rate	4.8 m <sup>3</sup> /h
BEP Capacity	3.62
BEP Head	25.7

# DIMENSIONS

Cb-1 143 mm

Cl-1 108 mm

G-1 111 mm

H 193 mm

H 193 mm

L 384 mm



Mr 186 mm

O 9 mm

W-1 174 mm

ØDi-1 1 "

ØDi-2 1 "



# PRODUCT INFORMATION

Supplied with cable, ready to use.

**Last modified date: 26/05/2026**

Bosta UK Ltd.  
 Reflection House  
 Olding Road  
 Bury St. Edmunds  
 Suffolk  
 IP33 3TA  
 T +44 (0) 1284 716580  
 E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>