


**Profec Stub flange PVC-U 110  
mm glue socket 16bar DN100  
grey PN16 WRAS (0110906)**



# TECHNICAL SPECIFICATIONS

|                  |             |
|------------------|-------------|
| Colour           | grey        |
| Material         | PVC-U       |
| Approval         | WRAS        |
| Material housing | PVC-U       |
| Material seal    | EPDM        |
| Connection       | glue socket |
| Size             | 110 mm      |
| Packaging        | 20 pcs      |
| DN               | 100         |
| Flange           | PN16        |
| Outer ø          | 131 mm      |
| Weight           | 0.43 kg     |
| Thickness        | 13 mm       |
| Pressure         | 16 bar      |
| PCD              | 131 mm      |

## DIMENSIONS


Db 150 mm

Lb 66 mm

T 13 mm

ØDi-1 110 mm

ØDo-1 131 mm



## PRODUCT INFORMATION

Next to the connection dimensions (Size and PCD) for the backing rings and stub flanges we show the inner-hole size of the backing flange and the pipe size from the stub flange. For backing rings, the inner hole size is given in column Inner Ø

For stub flanges, the pipe size is given in column Outer Ø

**Last modified date: 13/03/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>