Foras Centrifugal pump cast iron DN50 x 50 mm x DN32 x 32 mm DIN flange 10bar 14.1A 400/690VAC blue type MN32 200 A (0920293)



FORAS WATER PUMPS

bosta
bringing water to life

TECHNICAL SPECIFICATIONS


Colour	blue
Material	Cast iron
Material impeller 1	Cast iron
Connection	DIN flange
Max. temperature	90 °C
Minimum medium temperature (continuous)	-10 °C
Maximum ambient temperature	40 °C
Minimum ambient temperature	0 °C
Type	MN32 200 A
Output Power	10 HP
Max. head	57.9 m
Size	DN50 x 50 mm x DN32 x 32 mm
Seal	type H
Length	565 mm
Voltage	400/690VAC
Width	268 mm


Weight	79 kg
Power	7.5 kW
Height	340 mm
Max flow rate	33 m^3/h
BEP Capacity	29
BEP Head	47
Efficiency	57 %
Press	32
Suction	50
Packaging dimensions L/W/H	627 x 287 x 408 mm


DIMENSIONS

Cb-1	160 mm
Cl-1	80 mm
Ct-1	180 mm
G-1	190 mm
H	340 mm
H	340 mm
L	565 mm

Mc	70 mm
O	14 mm
W-1	240 mm
W-2	268 mm
ØDi-1	50 mm
ØDi-2	32 mm







PRODUCT INFORMATION

The pumps are supplied complete with counter flanges with female thread.
Mechanical seal.
Maximum water temperature 90°C.

Last modified date: 21/08/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds

Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
http://www.bosta.com

bosta
bringing water to life