

**Ebara Centrifugal pump  
stainless steel 304 1 1/4" x 1"  
female thread 8bar 3,1A  
230VAC blue type CDXM70/05  
(0930200)**



# TECHNICAL SPECIFICATIONS

Colour	blue
Material	stainless steel 304
Material impeller 1	stainless steel 304
Connection	female thread
Seal	type P
Voltage	230VAC
Max. temperature	90 °C
Minimum medium temperature (continuous)	-5 °C
Press	1 "
Type	CDXM70/05
Output Power	0,5 HP
Max. head	22 m
Size	1 1/4" x 1"
Length	321 mm
Width	208 mm
Weight	8.3 kg


Power 0.37 kW

Height 229.5 mm

Max flow rate 5.4 m<sup>3</sup>/h

Suction 1 1/4 "

Packaging dimensions L/W/H 402 x 247 x 289 mm



## PRODUCT INFORMATION

### Applications:

Domestic: booster systems, garden irrigation, water supply systems

Industry: cooling towers, heat exchangers, cleaning systems

Agriculture / horticulture

Irrigation

### Technical characteristics:

The pump body is pressed with the plasma-press system from S/S 304.

The pump fan, with upright welded blades, is produced from S/S 304.

Motor casing is aluminium.

**Last modified date: 24/05/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>