

**Ebara Centrifugal pump  
stainless steel 304 1 1/4" x 1"  
female thread 8bar 9,6A  
230VAC blue type  
CDXM120/20 (0930206)**



# TECHNICAL SPECIFICATIONS

Colour blue

Material stainless steel 304

Material impeller 1 stainless steel 304

Connection female thread

Seal type P

Voltage 230VAC

Max. temperature 90 °C

Minimum medium temperature -5 °C  
(continuous)

Press 1 "

Type CDXM120/20

Output Power 2 HP

Max. head 40,5 m

Size 1 1/4" x 1"

Length 346,5 mm

Width 232 mm

Weight 16.5 kg


Power 1.5 kW

Height 250 mm

Max flow rate 9.6 m<sup>3</sup>/h

Suction 1 1/4 "

Packaging dimensions L/W/H 452 x 244 x 308 mm



## PRODUCT INFORMATION

### Applications:

Domestic: booster systems, garden irrigation, water supply systems

Industry: cooling towers, heat exchangers, cleaning systems

Agriculture / horticulture

Irrigation

### Technical characteristics:

The pump body is pressed with the plasma-press system from S/S 304.

The pump fan, with upright welded blades, is produced from S/S 304.

Motor casing is aluminium.

**Last modified date: 24/05/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>