Saci Pool pump fibreglassreinforced PP 63 mm glue socket 4,2A 230VAC black type Winner 50M 0.5HP (7007680)







TECHNICAL SPECIFICATIONS


Colour	black	
Shaft	stainless steel 316	
Pump body	fibreglass-reinforced PP	
Material impeller 1	noryl	
Material seal	stainless steel 316	
Connection	glue socket	
Max. temperature	40 °C	
Width	220 mm	
Height	325 mm	
Frequency	50 Hz	
Maximum ambient temperature 40 °C		
IP value	IP55	
Motor RPM	2900	
Туре	Winner 50M	
Capacity	4 -12 m ³ /h	
Output Power	0,5 HP	
Size	63 mm	




Length	550 mm
Voltage	230VAC
Weight	11.7 kg
Power	0.37 kW
MWC	17,7
Ampere	4,2 A
BEP Capacity	13.5
BEP Head	8
Packaging dimensions L/W/H	630 x 230 x 360 mm

DIMENSIONS

Α	550 mm
В	220 mm
С	325 mm







PRODUCT INFORMATION

Self-priming pump for all sizes of domestic pools. The pump comes with a large pre-filter which, combined with excellent hydraulic performance, has a very large filter capacity. The transparent polycarbonate allows easy inspection of the filter pump due to its easy opening mechanism.

Features:

• Connection: 2" female thread

• Union connection: Glue socket 63mm

• Transparent polycarbonate lid

• Large filter

• Insulation: Class F

• Protection: IP55

• Mechanical Seals: Carbon/ceramic/stainless steel AISI 316

Shaft: AISI 316Impeller: Noryl

Last modified date: 05/10/2025

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
http://www.bosta.com

