Hayward Pool pump PP GF 50 mm glue socket 2A 230VAC black type PWL 0.33HP (7038742)



HAYWARD®

bosta
bringing water to life


TECHNICAL SPECIFICATIONS


Colour	black
Type	PWL
Shaft	stainless steel
Pump body	PP GF
Material impeller 1	Noryl
Material cover	polycarbonate
Material seal	stainless steel 304
Connection	glue socket
Length	504 mm
Voltage	230VAC
Max. temperature	35 °C
Width	208 mm
Height	265 mm
Frequency	50 Hz
IP value	IP55
Capacity	6,26 m^3/h
Output Power	0,33 HP

Size	50 mm
WebshopURL	https://www.bosta.com/en-gb/hayward-pool-pump-pp-gf-50-mm-glue-socket-2a-230vac-black-type-pwl-0.33hp-7038742
Weight	7.9 kg
Ampere	2 A

DIMENSIONS

A	504 mm





PRODUCT INFORMATION

The Powerline pump is ideal for small pools and/or above ground pools up to 70m3.

Feature:

- 1.1 L prefilter
- 50 mm outlet and ø 32/38 mm fluted adapters
- Easy-open strainer with twist-lock cover
- Drain release plug for easy winterising

- Salt water resistant to 0.4% (4gr/ltr)
- Pump shaft in stainless steel
- Self-priming pump with fully enclosed, ventilated engine
- Including power cable

Last modified date: 02/11/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
http://www.bosta.com