

**Ebara Centrifugal pump
stainless steel 304 1 1/2" x 1"
female thread 8bar 6,1A
230VAC blue type
CDXM200/12 (0930207)**



TECHNICAL SPECIFICATIONS

Colour	blue
Material	stainless steel 304
Material impeller 1	stainless steel 304
Connection	female thread
Seal	type P
Voltage	230VAC
Max. temperature	90 °C
Minimum medium temperature (continuous)	-5 °C
Press	1 "
Type	CDXM200/12
Output Power	1,2 HP
Max. head	22,8 m
Size	1 1/2" x 1"
Length	321 mm
Width	208 mm
Weight	11.4 kg


Power 0.9 kW

Height 229.5 mm

Max flow rate 15 m³/h

Suction 1 1/2 "

Packaging dimensions L/W/H 452 x 244 x 308 mm



PRODUCT INFORMATION

Applications:

Domestic: booster systems, garden irrigation, water supply systems

Industry: cooling towers, heat exchangers, cleaning systems

Agriculture / horticulture

Irrigation

Technical characteristics:

The pump body is pressed with the plasma-press system from S/S 304.

The pump fan, with upright welded blades, is produced from S/S 304.

Motor casing is aluminium.

Last modified date: 24/05/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>