Pentair Pool filter set PE 50 mm glue socket 2bar 4,2A 230VAC black type FS-19A6-FF15R (7015888)



PENTAIR

bosta
bringing water to life


TECHNICAL SPECIFICATIONS


Colour	black
Material	PE
Connection	glue socket
Voltage	230VAC
Frequency	50 Hz
Pressure	2 bar
IP value	IP44
Max. temp.	35 °C
Type	FS-19A6-FF15R
Size	50 mm
WebshopURL	https://www.bosta.com/en-gb/pentair-pool-filter-set-pe-50-mm-glue-socket-2bar-4-2a-230vac-black-type-fs-19a6-ff15r-7015888
Diameter	475 mm
Weight	18 kg
Sand	65 kg
Ampere	4,2 A
Max flow rate	9 m^3/h

Pump	FreeFlo FF15R
Max. pool vol.	45 m^3

DIMENSIONS

A	760 mm
B	19 " inch
B	900 mm





PRODUCT INFORMATION

Strong and durable thermoplastic tank with 6-way valve and FreeFlo centrifugal pump. The pump has a large pre-filter for a longer service interval. Complete set mounted on a solid base.

Last modified date: 01/11/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
http://www.bosta.com

bosta
bringing water to life