## Tefen Dosing pump 3/4" x 10 mm x 3/4" male thread x hose tail x male thread type MixRite 2.5 On/Off 0.3% - 2% (7024290)









## **TECHNICAL SPECIFICATIONS**

| Туре               | MixRite 2.5 On/Off                    |  |
|--------------------|---------------------------------------|--|
| Material seal      | NBR                                   |  |
| Connection         | male thread x hose tail x male thread |  |
| Flow range         | 7 - 2500 ltr/h                        |  |
| Size               | 3/4" x 10 mm x 3/4"                   |  |
| Adjustable mixture | 0,3 - 2%                              |  |
| Rec. press.        | 0.2 - 8.0 bar                         |  |



|      | L (Height)  |             |  |
|------|-------------|-------------|--|
|      | On/Off      | Air Release |  |
| Max. | 528 (20.7") | 496 (19.5") |  |
| Min. | 497 (19.5") | 457 (17.9") |  |





## **PRODUCT INFORMATION**

Comes with a suction tube, mounting bracket and a seal kit.

The suction tube length is 1.5m. long.

Use with fertilizer solutions and not with acids.

Refer to our chemical compatibility table in order to select the right model for your application.

## Last modified date: 06/10/2025

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
http://www.bosta.com

