

**Profec Water meter cast iron
DN125 DIN flange 16bar
100m³/h blue LXLC(R) type
Woltman horizontal (7021133)**



TECHNICAL SPECIFICATIONS

Colour	blue
Type	Woltman
Material	cast iron
Model	LXLC(R)
Material flange	cast iron
Material seal	rubber reinforced with nylon
Connection	DIN flange
Type	horizontal
Max. reading	999.999 m ³ /h
Temperature range	0°C - 40°C
Pressure	16 bar
Capacity	160 m ³ /h
Capacity Qmax	200 m ³ /h
Capacity Qn	100 m ³ /h
Size	DN125
Q1 ISO 4064 (2005)	3.1 m ³ /h
Q3 ISO 4064 (2005)	160 m ³ /h

Q4 ISO 4064 (2005) 312.5 m³/h

Min. reading 0.002 m³/h

Length 250 mm

Diam. 5 "

PCD 210 mm

DIMENSIONS

H 299 mm

Install. length 250

PCD 210 mm

Last modified date: 24/05/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>