

**Deep well pump 1" female
thread 5A 230VAC type Ola 100
Auto with capacitor - cooling
jacket (7031111)**



TECHNICAL SPECIFICATIONS

Pump body	stainless steel 304
-----------	---------------------

Material impeller 1	noryl
---------------------	-------

Connection	female thread
------------	---------------

Type	with capacitor - cooling jacket
------	---------------------------------

Voltage	230VAC
---------	--------

Max. temperature	35 °C
------------------	-------

Outer ø	98 mm
---------	-------

Press	1 "
-------	-----

Maximum ambient temperature 35 °C	
-----------------------------------	--

IP value	IP68
----------	------

Type	Ola 100 Auto
------	--------------

Output Power	1 HP
--------------	------

Size	1"
------	----

Weight	14 kg
--------	-------

Power	0.8 kW
-------	--------

Impellers	8
-----------	---

MWC	50
-----	----

Height 920 mm

Ampere 5 A

Max flow rate 4.8 m³/h

BEP Capacity 3.6

BEP Head 25

PORlh 36

PORhh 18

PORlq 2.52



PORhq 4.32

DIMENSIONS

ØDi-1 1 "

H-1 920 mm

Db 98 mm



bosta
bringing water to life

PRODUCT INFORMATION

Deep well pump equipped with an automatic pump control.

Built-in non return valve.

20 mtr cable, DIN plug without control box

Last modified date: 07/10/2025

Bosta UK Ltd.

Reflection House

Olding Road

Bury St. Edmunds

Suffolk

IP33 3TA

T +44 (0) 1284 716580

E enquiries@bosta.co.uk

<http://www.bosta.com>